

ROBENZ - robenidine hydrochloride powder
Alpharma Inc. Animal Health

Robenidine Hydrochloride
Type A Medicated Article
Coccidiostat

ACTIVE DRUG INGREDIENT

Robenidine hydrochloride 30 grams per pound (6.6%) in a carrier suitable for incorporation in feed.

For use in manufacturing medicated feeds only

INDICATIONS

Broiler chickens

As an aid in the prevention of coccidiosis caused by *Eimeria mivati*, *E. brunetti*, *E. tenella*, *E. acervulina*, *E. maxima* and *E. necatrix* in broiler chickens only.

USE DIRECTIONS

Mix 1 pound of Robenz® Type A Medicated Article in one ton of feed to provide 30 grams per ton (0.0033%) robenidine hydrochloride concentration in feed.

LIMITATIONS

Feed continuously as the sole ration. Do not use in feeds containing bentonite.

CAUTION

Type C feeds containing Robenz robenidine hydrochloride must be fed within 50 days from the date of manufacture.

WARNING

Do not feed to chickens producing eggs for food.

Withdraw 5 days prior to slaughter.

NOTE

Manufacture of Type B or C feeds from this product requires a Medicated Feed License Application approved by FDA.

Labels for feeds containing Robenz must contain appropriate indications, limitations and warnings as well as required feed ingredient information.

NADA 048-486, Approved by FDA

Marketed by

Alpharma Inc.

Bridgewater, New Jersey 08807

Net wt 50 LB (22.68 kg)



Trademarks registered by

Alpharma Inc.

Made in USA

740305 0905

PRINCIPAL DISPLAY PANEL - 50 LB BAG

Robenz®

ALPHARMA

Robenidine Hydrochloride

Type A Medicated Article

Coccidiostat

See back panel for use directions

Net wt 50 LB (22.68 kg)

ALPHARMA®

Robenz®

[illegible]